

all pages

Content created by Reinhard Gantar		
Page: "mixin" convention (re-motion)	Page: About the PhoneBook tutorial (re-motion)	PNG File Tech Notes > add.png (re-motion)
PNG File Working with XML queries and the query manager > add.png (re-motion)	Page: advanced re-motion mixins -- dessert wax revisited (re-motion)	Page: advanced re-motion mixins -- mixin configurations (re-motion)
Page: advanced re-motion mixins -- potential for confusion (re-motion)	Page: advanced re-motion mixins -- removing items, scoping of mixin configurations (re-motion)	Page: AGPL (re-motion)
Page: all pages (re-motion)	Page: An ACTING LESSON for your pet parrot -- working with 'Base' (re-motion)	Page: An acting lesson for your pet parrot -- working with 'This' (re-motion)
PNG File Objects in perma-URLs > another-new-location.png (re-motion)	PNG File 0000 > arnold-demo-rollback.png (Images and attachments)	PNG File 0000 > arnold-demo.png (Images and attachments)
PNG File 0000 > arnold-discard.png (Images and attachments)	PNG File 0000 > arnold-last.png (Images and attachments)	PNG File 0000 > arnold-return.png (Images and attachments)
PNG File 0000 > arnold-the-caller.png (Images and attachments)	PNG File 0000 > arnolds-new-home.png (Images and attachments)	PNG File ASP.NET for people who did not bother until now > asp-aries.png (re-motion)
PNG File ASP.NET for people who did not bother until now > asp-falco.png (re-motion)	PNG File ASP.NET for people who did not bother until now > asp-right-away.png (re-motion)	PNG File ASP.NET for people who did not bother until now > asp-welcome.png (re-motion)
Page: ASP.NET for people who did not bother until now (re-motion)	Page: Backstage, meta, shop floor (re-motion)	Page: Bidirectional 1-1 relation (re-motion)
Page: Bidirectional 1-n relation (re-motion)	PNG File 0000 > bidirectional-endpoints.png (Images and attachments)	Page: bindable domain object (re-motion)
Page: BOC (re-motion)	Page: Building re-motion (re-motion)	Page: business object (re-motion)
PNG File On re-bind's data source controls > businessobjectreferencedatasource.png (re-motion)	Page: Calling _Pick location_ (re-motion)	Page: canonical project structure (re-motion)
PNG File Home > canonical-phonebook-explorer.png (Images and attachments)	PNG File 0000 > canonical-phonebook-explorer.png (Images and attachments)	PNG File Home > canonical-phonebook-vs.png (Images and attachments)
PNG File 0000 > canonical-phonebook-vs.png (Images and attachments)	Page: client transaction (re-motion)	Page: client transaction and the unit of work (re-motion)
Page: Code generation in re-motion (re-motion)	PNG File 0000 > data-flow-green-arrows.png (Images and attachments)	Page: dbschema.exe (re-motion)
Page: dbschema.exe and remote machines (re-motion)	PNG File 0000 > dbtable-phonebook.png (Images and attachments)	PNG File 0000 > dbtable-single.png (Images and attachments)
Page: determining the mixin configuration (re-motion)	Page: discarding scope (re-motion)	Page: domain assembly (re-motion)
Page: domain class (re-motion)	Page: domain object (re-motion)	Page: domain object assembly (re-motion)
Page: domain object class (re-motion)	Page: domain object instance (re-motion)	Page: domain object vs. business object (re-motion)
Page: Domain objects not derived from BindableDomainObject (re-motion)	Page: domain, domain class, domain assembly -- the big picture (re-motion)	PNG File 0000 > domain-classes-assembly-big-picture.png (Images and attachments)
PNG File How embel.py works > dummy-subdummy.png (re-motion)	Page: Duplicate directories (trees) and master directories (re-motion)	PNG File advanced re-motion mixins -- mixin configurations > each-thread-mixin-config.png (re-motion)
Page: embel -- rationale and limitations (re-motion)	Page: embel -- room for improvement (re-motion)	Page: embel documentation (re-motion)
Page: embel overview (re-motion)	PNG File embel overview > embellishing-step.png (re-motion)	Page: EnterFreud -- domain object and client transaction basics (re-motion)
Page: Failure to remove a stale PhoneBook.Web project (re-motion)	PNG File Objects in perma-URLs > foo-is-42.png (re-motion)	Page: Forgetting one or more sides of a bidirectional relation (re-motion)
Page: Forgetting to compile (re-motion)	Page: Getting a virgin machine ready for a re-motion demo (re-motion)	Page: Getting re-motion (re-motion)
Page: Globalization remarks (re-motion)	Page: Glossary (re-motion)	Page: GPL (re-motion)
Page: Hints on how to implement pessimistic locking for re-store (re-motion)	Page: Hotel mixin sample (re-motion)	Page: Hotel mixin sample -- accommodation mixin (re-motion)
Page: Hotel mixin sample -- Components, slices (re-motion)	Page: Hotel mixin sample -- design (re-motion)	Page: Hotel mixin sample -- discount mixin (re-motion)
Page: Hotel mixin sample -- introduction (re-motion)	Page: Hotel mixin sample -- overview (re-motion)	Page: Hotel mixin sample -- queue mixin (re-motion)

Page: Hotel mixin sample -- repositories (re-motion)	Page: Hotel mixin sample -- reservation mixin (re-motion)	PNG File Hotel mixin sample -- design > hotel-diagram.png (re-motion)
Page: How embel.py works (re-motion)	Page: How to implement pessimistic locking in re-store (re-motion)	Page: How treecomp.py works (re-motion)
PNG File Repositories -- sample vs. production > how-the-repositories-are-implemented-here.png (re-motion)	PNG File Repositories -- sample vs. production > how-the-repositories-would-be-implemented-in-production.png (re-motion)	PNG File Objects in perma-URLs > its-a-biggie.png (re-motion)
Page: Junction objects (re-motion)	Page: LGPL (re-motion)	Page: Linq and domain objects (Location class) (re-motion)
PNG File Objects in perma-URLs > list-it.png (re-motion)	Page: login peculiarity (re-motion)	Page: Maintaining uigen.exe and uigen.exe templates (re-motion)
PNG File advanced re-motion mixins -- mixin configurations > master-config.png (re-motion)	PNG File embel overview > merged.png (re-motion)	PNG File embel overview > merging.png (re-motion)
Page: Mind the SQL! (re-motion)	Page: Mixin cross-referencing tool (re-motion)	PNG File re-motion mixins basics -- accessing target class members in a mixin class > Mixin.Foo.Base.png (re-motion)
PNG File re-motion mixins basics -- accessing target class members in a mixin class > Mixin.Foo.png (re-motion)	PNG File re-motion mixins basics -- accessing target class members in a mixin class > Mixin.IFoo.png (re-motion)	PNG File Mixin cross-referencing tool > mixinxref.png (re-motion)
PNG File 0000 > modal-DLOGs.png (Images and attachments)	Page: More about client transactions (re-motion)	Page: More about transaction scopes (re-motion)
Page: NEW IN 1.13.26! Changing the entire master configuration (re-motion)	Page: New Shimmer (re-motion)	PNG File Objects in perma-URLs > new-new-location.png (re-motion)
PNG File embel overview > new-template.png (re-motion)	Page: NewObject and GetObject (Location class) (re-motion)	Page: newversion.cmd (re-motion)
Page: No DLLs (or no files at all) in asmdir (re-motion)	Page: No PhoneBook.Domain.DLL in the asmdir directory (re-motion)	PNG File login peculiarity > ntlm-login-problem.png (re-motion)
PNG File Persisting objects in tables > o-r-boxes.png (re-motion)	PNG File Persisting objects in tables > o-r-dotted.png (re-motion)	PNG File Persisting objects in tables > o-r-is-a-has-a.png (re-motion)
PNG File Persisting objects in tables > o-r-order.png (re-motion)	PNG File Persisting objects in tables > o-r-uml.png (re-motion)	Page: Object list (re-motion)
Page: Object persistence framework (re-motion)	Page: Objects in perma-URLs (re-motion)	Page: Of what class is the instance the object factory returns? (re-motion)
Page: On re-bind's data source controls (re-motion)	Page: OPF (re-motion)	Page: Other tools (re-motion)
Page: page function (re-motion)	File An acting lesson for your pet parrot -- working with 'This' > Parrot.This (re-motion)	PNG File An ACTING LESSON for your pet parrot -- working with 'Base' > Parrot.This.Base.png (re-motion)
PNG File An acting lesson for your pet parrot -- working with 'This' > Parrot.This.Interface.png (re-motion)	PNG File An acting lesson for your pet parrot -- working with 'This' > Parrot.This.png (re-motion)	Page: Persistence (re-motion)
Page: Persistence with re-store (re-motion)	Page: Persisting objects in tables (re-motion)	Page: PhoneBook project structure (re-motion)
Page: PhoneBook tutorial (re-motion)	Page: PhoneBook walk-through (re-motion)	Page: PhoneBook.Domain -- learn to declare domain object classes (re-motion)
Page: PhoneBook.Domain -- relationships (re-motion)	Page: PhoneBook.Sample -- learn what makes domain object classes tick (re-motion)	Page: Pick location and WxeGen.exe (re-motion)
Page: Pick location's re-call header (re-motion)	Page: Pick location, the page function (re-motion)	PNG File 0000 > pick-location-call.png (Images and attachments)
PNG File 0000 > pick-location-re-call-header.png (Images and attachments)	Page: PickLocation's Call methods (re-motion)	PNG File 0000 > procurement-adventure.png (Images and attachments)
Page: Properties and property attributes (Location class) (re-motion)	PNG File unicoding > python-unicode-decode.png (re-motion)	PNG File unicoding > python-unicode.png (re-motion)
PNG File Tech Notes > queryman.png (re-motion)	PNG File Working with XML queries and the query manager > queryman.png (re-motion)	Page: re-call (re-motion)
Page: re-call and client transactions (re-motion)	Page: re-call function (re-motion)	Page: re-call header (re-motion)
Page: re-call page (re-motion)	Page: re-call page (function) synonyms (re-motion)	Page: re-call page-functions (re-motion)
PNG File 0000 > re-call.png (Images and attachments)	Page: re-form (re-motion)	Page: re-mix (re-motion)
Page: re-motion API documentation (re-motion)	Page: re-motion components (re-motion)	Page: re-motion contrib repository (re-motion)

Page: re-motion licensing (re-motion)	Page: re-motion mixins basics -- accessing target class members in a mixin class (re-motion)	Page: re-motion mixins basics -- duck typing (re-motion)
Page: re-motion mixins basics -- instantiation with parameters (re-motion)	Page: re-motion mixins basics -- overriding mixin methods (re-motion)	Page: re-motion mixins basics -- overriding target methods (re-motion)
Page: re-motion mixins basics -- the 'CompleteInterface' attribute (re-motion)	Page: re-motion mixins basics -- the 'Extends' attribute (re-motion)	Page: re-motion mixins basics -- the 'Uses' attribute and the 'ObjectFactory' (re-motion)
Page: re-motion mixins basics -- the generic 'Mixin' type (re-motion)	Page: re-motion mixins basics -- what about subclasses of the target class? (re-motion)	Page: re-motion mixins front matter -- READ ME (re-motion)
Page: re-motion mixins TypeInitializationException (re-motion)	Page: re-store (re-motion)	PNG File 0000 > re-store-re-bind.png (Images and attachments)
PNG File 0000 > re-store.png (Images and attachments)	Page: re-strict dictionary and overview (re-motion)	Page: re-strict licensing (re-motion)
PNG File 0000 > re-strict-linked.png (Images and attachments)	PNG File 0000 > re-strict-service.png (Images and attachments)	PNG File How embel.py works > replaceline.png (re-motion)
Page: replacer.exe (re-motion)	Page: Repositories -- sample vs. production (re-motion)	Page: Rollback vs. discard (re-motion)
Page: rubicon (re-motion)	Page: sample uigen.exe configuration file (re-motion)	Page: SEC (re-motion)
PNG File Objects in perma-URLs > see-what-you-see.png (re-motion)	PNG File under the hood of re-motion mixins -- the simplest case -- 'DessertTopping' uses 'FloorWaxMixin' > simple-dessertwax-processed.png (re-motion)	PNG File under the hood of re-motion mixins -- mixins based on 'Mixin-TThis' > simple-dessertwax-processed.png (re-motion)
PNG File under the hood of re-motion mixins -- the simplest case -- 'DessertTopping' uses 'FloorWaxMixin' > simple-dessertwax.png (re-motion)	PNG File under the hood of re-motion mixins -- mixins based on 'Mixin-TThis' > simple-override-mixin.png (re-motion)	PNG File under the hood of re-motion mixins -- mixins based on 'Mixin-TThis' > simple-parrot-this-processed.png (re-motion)
PNG File under the hood of re-motion mixins -- mixins based on 'Mixin-TThis' > simple-parrot-this.png (re-motion)	PNG File under the hood of re-motion mixins -- mixins based on 'Mixin-TThis-TBase' > simple-this-base.png (re-motion)	PNG File Hotel mixin sample -- introduction > slicem-dicem-mixem-matchem.png (re-motion)
PNG File re-call > subtle-re-call.png (re-motion)	Page: Superficial PhoneBook test (re-motion)	Page: svn-del.exe (re-motion)
Page: Tech Notes (re-motion)	Page: Testing the PhoneBook web application (re-motion)	Page: The DBTable attribute (Location class) (re-motion)
PNG File re-call > this-we-mean.png (re-motion)	PNG File How embel.py works > threesplit-at-work.png (re-motion)	PNG File Hotel mixin sample -- introduction > traditional-oop.png (re-motion)
PNG File How embel.py works > transplantcenter-at-work.png (re-motion)	Page: treecomp.py -- rationale and limitations (re-motion)	Page: treecomp.py documentation (re-motion)
Page: treecomp.py overview (re-motion)	Page: trouble-shooting dbschema.exe (re-motion)	Page: trouble-shooting uigen.exe (re-motion)
PNG File embel overview > two-phonebooks.png (re-motion)	Page: Typos (re-motion)	PNG File What uigen.exe does > uigen-dollar.png (re-motion)
PNG File Using embel.cmd and embel.py > uigen-exe-clone-tree.png (re-motion)	PNG File What uigen.exe does > uigen-expanded.png (re-motion)	PNG File What uigen.exe does > uigen-generated-relation.png (re-motion)
PNG File What uigen.exe does > uigen-top-level.png (re-motion)	Page: uigen.exe (re-motion)	Page: uigen.exe configuration file (re-motion)
Page: uigen.exe project (re-motion)	Page: uigen.exe templates (re-motion)	File 0000 > uigen.exe-copy-local (Images and attachments)
PNG File 0000 > uigen.exe-copy-local.png (Images and attachments)	File 0000 > uigen.exe-referenced (Images and attachments)	PNG File 0000 > uigen.exe-referenced.png (Images and attachments)
PNG File 0000 > uigen.exe-settings.png (Images and attachments)	Page: under the hood of re-motion mixins -- front matter, hand-waving (re-motion)	Page: under the hood of re-motion mixins -- mixins based on 'Mixin-TThis' (re-motion)
Page: under the hood of re-motion mixins -- mixins based on 'Mixin-TThis-TBase' (re-motion)	Page: under the hood of re-motion mixins -- the simplest case -- 'DessertTopping' uses 'FloorWaxMixin' (re-motion)	Page: unicoder.py (re-motion)
Page: unicoding (re-motion)	Page: Unidirectional relation (re-motion)	Page: unit of work (re-motion)
PNG File 0000 > unit-of-work-linear.png (Images and attachments)	Page: Upgrading the templates to a new re-motion version (re-motion)	Page: Upgrading to a new re-motion version (re-motion)
Page: Using a uigen.exe in a directory different from the domain assembly directory (re-motion)	Page: using dbschema.exe (re-motion)	Page: Using embel.cmd and embel.py (re-motion)
Page: Using the re-motion wiki (re-motion)	Page: Using this wiki as an introduction to re-motion (re-motion)	Page: using treecomp.py (re-motion)
Page: using uigen.exe (re-motion)	Page: using wxegen.exe on the command line (re-motion)	Page: web client application (re-motion)

Page: Web execution engine (re-motion)	Page: What uigen.exe does (re-motion)	Page: Why use sub-transactions? (re-motion)
Page: Working with XML queries and the query manager (re-motion)	Page: writing re-call headers (re-motion)	Page: Wrong baseDirectory (re-motion)
Page: WXE (re-motion)	Page: wxe function (re-motion)	Page: wxe header (re-motion)
Page: wxe page (re-motion)	Page: wxegen.exe (re-motion)	PNG File 0000 > wxegen.exe-build-event.png (Images and attachments)